

centos7 php如何编译安装sockets扩展

1.进入到php源码下载后解压的目录，再进入ext/sockets目录，在该目录下执行下面的命令

```
/usr/local/php/bin/phpize
```

如果出现 "Cannot find autoconf. Please check your autoconf installation and the \$PHP_AUTOCONF environment vari"这个错误，执行以下命令，再重新运行phpize

```
yum install m4
```

```
yum install autoconf
```

2.使用 ./configure 进行配置

```
./configure --with-php-config=/usr/local/php/bin/php-config
```

3.安装

```
make && make install
```

如果没有错误，会输出下面这个结果：

```
Installing shared extensions: /usr/local/php/lib/php/extensions/no-debug-non-zts-20180731/
```

```
Installing header files: /usr/local/php/include/php/
```

说明sockets扩展经过编译后，安装在了/usr/local/php/lib/php/extensions/no-debug-non-zts-20180731/这个目录下

4.修改php.ini，把sockets扩展加进去

```
vim /usr/local/php/etc/php.ini
```

把下面这两行加到php.ini里面

```
extension_dir = /usr/local/php/lib/php/extensions/no-debug-non-zts-20180731/
```

```
extension = sockets.so
```

5.重启一下php，这样扩展就安装好了

```
kill -USR2 `cat /usr/local/php/var/run/php-fpm.pid`
```

6.查看扩展是否安装成功，如果看到sockets就说明安装成功了

```
php -m
```